

TABLE OF CONTENTS

	<u>PAGE</u>
HIGHWAYS	
HIGHWAY FACTS	7
TRAVEL INFORMATION CENTERS	8
ROADSIDE MOTORIST FACILITIES	8
POPULATION ESTIMATES BY COUNTY FOR 2025	9
POPULATION CHANGE BY NUMBER (1990-2000)	10
POPULATION CHANGE BY PERCENTAGE (1990-2000)	11
HIGHWAY, ROAD AND STREET MILEAGE	12
ROADWAY TRAVEL VOLUMES	13
VEHICLE REGISTRATIONS	14
FUEL USAGE (MICHIGAN)	15
FUEL USAGE (U.S.)	16
MICHIGAN'S INTERNATIONAL BORDER CROSSINGS	17
MICHIGAN'S STATE HIGHWAY SYSTEM	18
2000 TRUNKLINE MILEAGE AND AVMT BY MDOT REGION	19
TRUNKLINE COMMERCIAL ANNUAL VEHICLE MILES TRAVELED (AVMT) BY REGION	20
2000 FREEWAY/NON-FREEWAY ROUTE MILEAGE AND AVMT BY MDOT REGION	21
2000 FREEWAY/NON-FREEWAY ROUTE MILEAGE AND CONDITION BY MDOT REGION	22
TRUNKLINE SURFACE CONDITION	23
TRUNKLINE SURFACE CONDITION BY FUNDING CATEGORY	24
BRIDGE CONDITION	25
TRAFFIC CRASH TRENDS	26
TRAFFIC FATALITY RATE	27
TRUCK-RELATED CRASHES AND FATALITIES	28
TORT LIABILITY: OPEN CASE LOAD	29
STATE PAYMENTS FOR TORT LITIGATION	30
TRUCK WEIGHT LIMITS	31
ALL SEASON ROUTE MILEAGE VS. SEASONAL ROUTE MILEAGE	32
REHABILITATION OF STATE HIGHWAYS	33

HIGHWAY FACTS

Highway Numbering

"I" highways, such as I-94, are part of the Interstate Freeway System, which extend through all 50 states and Puerto Rico, and as of 2000, total over 46,677 miles. Michigan's share is 1,241 miles. "U.S." highways extend through two or more states and "M" highways begin and end in Michigan.

The Longest Highway

Michigan's 395-mile portion of the I-75 freeway, running from the Ohio border north across the Straits of Mackinac to Sault Ste. Marie, is the longest highway.

The Shortest Highway

The shortest highway is M-212 in Cheboygan County, which runs 0.7 miles from M-33 to Aloha State Park on Mullett Lake.

The Busiest Highway

MDOT traffic summary statistics indicate that I-696, from I-75 to Couzens Road was the busiest section of highway in 2001, carrying an average of 219,000 vehicles a day. I-696 actually had six out of the top eight busiest sections in the whole state for 2001.

The First Painted Centerline

Marquette - Negaunee Road in Marquette County was the nation's first painted centerline on a rural state highway. It was painted in 1917.

Aerial Surveys

In 1925, the Michigan Highway Department became the first in the country to utilize aerial surveys for route location and engineering. The late Talbert "Ted" Abrams began this service and the concept is still in operation today.

The First "Super - Highway"

The nation's first "super-highway", an eight-lane divided highway, Woodward Avenue, was constructed between Pontiac and Detroit.

The First Concrete Highway

A one-mile section of Woodward Avenue between Six Mile and Seven Mile roads was the nation's first concrete highway. This highway was completed in 1909 at a cost of \$13,354.

TRAVEL INFORMATION CENTERS

Welcome Centers

There are 13 Welcome Centers at border points or popular visitor locations around the state. Each year millions of travelers take advantage of the staffs' travel expertise. Centers are an information oasis where travelers can obtain construction and weather-related road condition reports, maps, directions and details on Michigan destinations. The staff also make free lodging reservations for travelers and conduct Michigan product promotions.

First Travel Information Center

The nation's first permanent travel information lodge was built on US-12 in Berrien County in 1935.

ROADSIDE MOTORIST FACILITIES

Freeway Rest Areas

Michigan travelers who use the freeway system have access to 83 rest areas, including the 13 Welcome Centers, which are spaced about 45 miles apart. Each year about 42 million users stop at Michigan rest areas and welcome centers.

Landscaping Program

MDOT carries out a yearly landscape planting program, working with communities along our right-of-way, to enhance the natural beauty of our transportation systems.

Roadside Parks

On two-lane roadways, there are 82 roadside parks providing roadside service similar to freeway rest areas. The roadside park system has been in operation since 1935.

Scenic Turnouts

There are 24 scenic turnouts, located mostly in northern Michigan and the Upper Peninsula. The turnouts provide the motoring public an opportunity to park and view some of Michigan's beautiful scenery along our highways.


POPULATION ESTIMATES BY COUNTY FOR 2025

Statewide population over the period 2000-2025 is forecast to increase 10.6 percent, representing an average annual growth rate of 0.42 percent. Most counties in Michigan are expected to see continued population growth with Keweenaw, Lake, Livingston, Otsego and Ottawa, expecting increases of 30 percent or greater.

County	2000	2025	County	2000	2025
Alcona	11,719	13,787	Lake	11,333	15,609
Alger	9,862	11,362	Lapeer	87,904	103,563
Allegan	105,665	134,009	Leelanau	21,119	27,058
Alpena	31,314	32,129	Lenawee	98,890	109,489
Antrim	23,110	26,419	Livingston	156,951	227,721
Arenac	17,269	20,321	Luce	7,024	8,671
Baraga	8,746	9,777	Mackinac	11,943	13,289
Barry	56,755	65,017	Macomb	788,149	892,088
Bay	110,157	110,361	Manistee	24,527	28,800
Benzie	15,998	20,652	Marquette	64,634	69,324
Berrien	162,453	166,209	Mason	28,274	31,921
Branch	45,787	49,995	Mecosta	40,553	46,591
Calhoun	137,985	145,914	Menominee	25,326	26,097
Cass	51,104	52,942	Midland	82,874	91,243
Charlevoix	26,090	32,405	Missaukee	14,478	17,652
Cheboygan	26,448	33,221	Monroe	145,945	177,314
Chippewa	38,543	43,860	Montcalm	61,266	72,084
Clare	31,252	39,973	Montmorency	10,315	12,003
Clinton	64,753	83,565	Muskegon	170,200	184,360
Crawford	14,273	16,749	Newaygo	47,874	60,038
Delta	38,520	39,793	Oakland	1,194,156	1,378,128
Dickinson	27,472	28,448	Oceana	26,873	32,674
Eaton	103,655	126,058	Ogemaw	21,645	25,344
Emmet	31,437	40,453	Ontonagon	7,818	7,322
Genesee	436,141	455,190	Osceola	23,197	26,996
Gladwin	26,023	31,294	Oscoda	9,418	11,359
Gogebic	17,370	17,280	Otsego	23,301	30,699
Grand Traverse	77,654	94,921	Ottawa	238,314	313,122
Gratiot	42,285	46,939	Presque Isle	14,411	15,628
Hillsdale	46,527	50,068	Roscommon	25,469	32,933
Houghton	36,016	37,277	Saginaw	210,039	216,051
Huron	36,079	37,745	Sanilac	44,547	50,168
Ingham	279,320	301,072	Schoolcraft	8,903	9,674
Ionia	61,518	66,698	Shiawassee	71,687	74,927
Iosco	27,339	28,239	St. Clair	164,235	212,735
Iron	13,138	13,098	St. Joseph	62,422	66,531
Isabella	63,351	74,354	Tuscola	58,266	62,208
Jackson	158,422	165,071	Van Buren	76,263	83,000
Kalamazoo	238,603	258,997	Washtenaw	322,895	405,674
Kalkaska	16,571	20,522	Wayne	2,061,162	1,978,078
Kent	574,335	667,383	Wexford	30,484	35,970
Keweenaw	2,301	3,111	State Totals	9,938,444	10,996,594


Sources: Census 2000, MDOT, Travel Demand & Intermodal Services Section, Regional Econometric Model, Inc. (REMI) Model with Local Enhancement, (517) 335-2959

POPULATION CHANGE BY NUMBER (1990-2000)



Source: U.S. Census Bureau, Census 2000 Redistricting Data, (517) 335-2959

POPULATION CHANGE BY PERCENTAGE (1990-2000)



Source: U.S. Census Bureau, Census 2000 Redistricting Data, (517) 335-2959

HIGHWAY, ROAD AND STREET MILEAGE

Michigan's system of state highways, county roads and municipal streets totals 120,256 miles. As of 2001, MDOT had jurisdiction over the 9,716 route mile state highway system, which includes all "I", "U.S." and "M" numbered highways. Michigan's 89,755 miles of county roads are under the jurisdiction of 83 county road commissions and its 20,785 miles of

municipal streets are owned by 533 incorporated cities and villages. New residential streets account for most of the growth of county, city and village systems. The increase in state highway miles in 1998 can be attributed to freeway construction, jurisdictional transfers and a revision of reporting methods to match federal Highway Performance Monitoring System mileage.

Year	Total Mileage			
	State Hwys.	County Rds.	City & Village Sts.	Total
1960	9,308	86,145	15,203	110,656
1970	9,221	87,723	17,847	114,791
1980	9,502	88,799	19,070	117,371
1985	9,498	88,514	19,540	117,552
1989	9,527	88,634	19,820	117,981
1990	9,538	88,705	19,877	118,120
1991	9,615	88,770	19,945	118,330
1992	9,629	88,755	20,007	118,391
1993	9,607	88,742	20,118	118,467
1994	9,591	88,836	20,155	118,582
1995	9,602	88,890	20,239	118,731
1996	9,583	89,129	20,401	119,113
1997	9,590	89,281	20,483	119,354
1998	9,725	89,173	20,501	119,399
1999	9,725	89,499	20,667	119,891
2000	9,704	89,488	20,737	119,929
2001	9,716	89,755	20,785	120,256

Source: MDOT, Bureau of Transportation Planning, Asset Management Division, (517) 335-2608

ROADWAY TRAVEL VOLUMES

Highway travel in Michigan is increasing at a far greater rate than the state population. From 1984 to 2001, travel on Michigan roads has increased more than 47 percent. This increase in travel is attributed to longer distances traveled to work and

other purposes, and increases in tourism and recreation travel. Although the state highway system comprises only eight percent of the Michigan roadway network length, it carries more than 53 percent of the total statewide traffic.

Year	Travel (Billions of Miles)
1940	14.6
1950	22.0
1960	33.1
1970	53.1
1975	58.2
1980	61.5
1984	65.7
1985	68.4
1986	70.6
1987	75.7
1988	77.7
1989	79.9
1990	81.2
1991	81.9
1992	84.0
1993	85.7
1994	85.6
1995	85.7
1996	87.6
1997	89.2
1998	91.2
1999	93.1
2000	94.9
2001	96.6


Source: MDOT, Bureau of Transportation Planning, Asset Management Division, (517) 335-2901

VEHICLE REGISTRATIONS

Vehicle registrations are tallied by using license plate transactions and include original, renewal, correction and replacement transactions. In Fiscal Year 2001, these totals rose to 9,757,968, an increase of 53,977 over the previous year. Passenger (more than 6.4

million), commercial (almost 2.0 million), trailer (almost 1.8 million), and motorcycle (191,888) transactions all increased.

Motorcycle transactions increased for the seventh consecutive year, after decreasing for 19 straight years.




Source: Michigan Secretary of State Website: Vehicle Registration Statistics, Number of Transactions as compiled by MDOT, Bureau of Transportation Planning, Asset Management Division, (517) 335-2608

FUEL USAGE (MICHIGAN)

Fuel usage tax is the chief revenue source for Michigan's highway and other transportation programs. According to the latest Federal Highway Statistics Manual, Fiscal Year 2000 usage totaled 5.94

billion gallons. There appears to be a cyclical pattern of a few years of level usage (1989-91 and 1994-96) followed by periods of increase.




Source: U.S. Department of Transportation, Federal Highway Administration, Highway Statistics, 1984 to 2000, (517) 335-2608

FUEL USAGE (U.S.)

Consumption of motor fuel for highway use in the United States has more than quadrupled since 1950; increasing from

nearly 35 billion gallons in 1950 to more than 165 billion gallons in 2000.



Source: U.S. Department of Transportation, Federal Highway Administration, Highway Statistics, 1984 to 2000, (517) 335-2608

MICHIGAN'S INTERNATIONAL BORDER CROSSINGS

Michigan's international border crossings are vital links in regional, national and international commerce. Michigan's peninsular geography and highly productive industrial base give its international gateways unique significance. Unlike land border crossings in other states, every Michigan border crossing relies on bridge, tunnel or marine infrastructure to traverse a major body of water.

Three Michigan gateways support key international trade flows: Detroit (Ambassador Bridge, Detroit-Windsor Tunnel), Port Huron (Blue Water Bridge),

and Sault Ste. Marie (International Bridge). The Ambassador and Blue Water Bridges are two of the three busiest truck crossings in North America. The Ambassador Bridge and the Detroit-Windsor Tunnel are the two busiest automobile crossings on the U.S.-Canada border.

In 2000, these three gateways handled 27 percent (\$155 billion) of all land-based trade between the United States, Canada and Mexico. Between 1990 and 2000 commercial truck traffic has more than doubled to 5.3 million trucks per year at Michigan's four border crossings.

Ambassador Bridge

Year	Cars*	Trucks	Total
1990	5,667,486	1,554,263	7,221,749
2001	7,891,845	3,238,474	11,130,319

Detroit Windsor Tunnel

Year	Cars*	Trucks	Total
1990	6,722,975	269,980	6,992,955
2001	7,578,127	170,054	7,748,181

Blue Water Bridge

Year	Cars*	Trucks	Total
1990	4,840,157	670,063	5,510,220
2001	4,131,068	1,556,491	5,687,559

International Bridge

Year	Cars*	Trucks	Total
1990	3,225,553	62,586	3,288,139
2001	2,167,427	128,999	2,296,426

* Cars includes motorcycles, RV's, and any other non-truck vehicle

Source: MDOT, Bridge and Tunnel Operators Association and the U.S. DOT Bureau of Transportation Statistics, (517) 335-2614

MICHIGAN'S STATE HIGHWAY SYSTEM

MDOT is responsible for 9,716 miles of state highways. These highways, referred to as the state trunkline system, are comprised of state ("M" routes), U.S. national highways (U.S. routes) and interstate highways ("I" route). While the state trunkline system represents only 8% of the state's 120,256 miles of road, it carries approximately 53% of total travel and 70% of commercial travel in Michigan.



Source: MDOT, Bureau of Transportation Planning, Asset Management Division

2001 TRUNKLINE MILEAGE AND AVMT BY MDOT REGION

2001 Trunkline Mileage by MDOT Region					
Region	Interstate Route	Freeway Route	Route¹	Pavement²	Lane³
Superior	67.2	56.6	1,831.4	1,906.7	3,971.3
North	144.4	214.6	1,976.2	2,195.7	4,552.6
Grand	124.9	247.9	941.4	1,269.1	2,714.3
Bay	173.6	323.5	1,515.0	1,873.2	4,253.0
Southwest	272.2	291.2	1,220.9	1,554.2	3,397.3
University	297.8	407.9	1,342.0	1,806.0	4,050.4
Metro	313.4	367.0	889.8	1,427.6	4,484.5
Statewide	1393.5	1,908.7	9,716.7	12,032.5	27,423.4

2001 Trunkline AVMT⁴ by MDOT Region (In Billions)		
<u>Region</u>	<u>Total</u>	<u>%</u>
Superior	2.153	4.2
North	3.948	7.7
Grand	5.551	10.8
Bay	6.682	13.0
Southwest	5.690	11.0
University	9.390	18.2
Metro	18.101	35.1
Statewide	51.515	100.0

¹ Route miles are the total miles of two-way roads and one side of the divided highways.

² Pavement or directional miles are the total miles of pavement for undivided, two-way roads, and directional mileage for divided and one-way highways (i.e. one mile of divided interstate represents two pavement miles).

³ Lane miles are the number of lanes multiplied by the number of pavement miles.

⁴ AVMT (Annual Vehicle Miles Traveled) is the mileage driven by all vehicles in one year.

Source: MDOT, Bureau of Transportation Planning, Asset Management Division, (517) 335-2900

TRUNKLINE COMMERCIAL ANNUAL VEHICLE MILES TRAVELED (AVMT) BY REGION

Historical Trunkline Commercial AVMT¹ by MDOT Region (In Millions)								
Region	2001	2000	1999	1998	1997	1996	1995	1994
Superior	225.7	219.0	196.5	192.0	193.0	181.7	172.1	168.0
North	354.6	344.5	321.7	320.3	317.3	290.5	288.6	271.7
Grand	507.5	498.1	492.9	473.8	446.3	430.1	409.4	379.5
Bay	569.7	577.5	546.7	546.6	525.3	507.9	488.5	455.3
Southwest	1,033.1	1,008.6	914.1	886.5	845.5	808.0	807.9	707.6
University	1,292.0	1,282.7	1,108.6	1,076.1	1,019.2	978.6	961.5	905.7
Metro	1,191.4	1,138.6	1,103.2	1,094.9	974.6	956.5	949.7	946.4
Statewide	5,174.0	5,069.0	4,683.7	4,590.2	4,321.2	4,153.3	4,077.7	3,834.2

2001 Urban/Rural Trunkline Commercial AVMT¹ by MDOT Region (In Millions)			
Region	Urban	Rural	Total
Superior	19.9	205.8	225.7
North	13.3	341.4	354.7
Grand	225.9	281.6	507.5
Bay	203.1	366.5	569.6
Southwest	254.4	778.7	1,033.1
University	467.7	824.3	1,292.0
Metro	1,053.5	137.9	1,191.4
Statewide	2,237.8	2,936.2	5,174.0

¹ AVMT (Annual Vehicle Miles Traveled) is the mileage driven by all vehicles in one year.

Source: MDOT, Bureau of Transportation Planning, Asset Management Division, (517) 335-2900

2001 FREEWAY/NON-FREEWAY ROUTE MILEAGE AND AVMT BY MDOT REGION

Michigan's freeway system contains 1,908 miles or nearly twenty percent of the state's 9,716 mile trunkline system. That same freeway system carries over 29 billion or 57 percent of the 51.7 billion annual vehicle miles (AVMT) traveled on the whole trunkline system.

2001 Freeway/Non-Freeway Route ¹ Mileage by MDOT Region					
Region	Freeway Miles	% of Total	Non-Freeway Miles	% of Total	Total Miles
Superior	56.6	3.1	1,774.7	96.9	1,831.3
North	214.6	10.9	1,761.6	89.1	1,976.2
Grand Bay	247.9	26.3	693.5	73.7	941.4
Southwest	323.5	21.4	1,191.5	78.6	1,515.0
University	291.2	23.9	929.7	76.1	1,220.9
Metro	407.9	30.4	934.1	69.6	1,342.0
Statewide	367.0	41.2	522.8	58.8	889.8
Statewide	1908.7	19.6	7,807.9	80.4	9,716.6

2001 Freeway/Non-Freeway AVMT ² by MDOT Region (In Billions)					
Region	Freeway AVMT	% of Total	Non-Freeway AVMT	% of Total	Total AVMT
Superior	.138	6.4	2.015	93.6	2.153
North	.809	20.5	3.139	79.5	3.948
Grand Bay	2.941	53.0	2.610	47.0	5.551
Southwest	3.550	53.1	3.132	46.9	6.682
University	3.148	55.3	2.542	44.7	5.690
Metro	6.331	67.4	3.059	32.6	9.390
Statewide	12.635	69.8	5.466	30.2	18.101
Statewide	29.552	57.4	21.963	42.6	51.515

¹ Route miles are the total miles of two-way roads and one side of the divided highways.

² AVMT (Annual Vehicle Miles Traveled) is the mileage driven by all vehicles in one year.

2001 FREEWAY/NON-FREEWAY ROUTE MILEAGE AND CONDITION BY MDOT REGION

Freeways are defined as roads which allow vehicles limited access, normally at interchanges, to control both safety and the flow of traffic. They make up 1,908 miles or nearly 20 percent of the 9,716 mile state trunkline system and include the majority of the 1,394 mile Interstate system. Around 78 percent of the freeway and the non-freeway miles are in good condition.

2001 Freeway/Non-Freeway Route¹ Mileage by MDOT Region			
Region	Freeway	Non Freeway	Total
Superior	56.6	1,774.7	1,831.3
North	214.6	1,761.6	1,976.2
Grand	247.9	693.5	941.4
Bay	323.5	1,191.5	1,515.0
Southwest	291.2	929.7	1,220.9
University	407.9	934.1	1,342.0
Metro	367.0	522.8	889.8
Statewide	1,908.7	7,807.9	9,716.6

2001 Freeway/Non-Freeway Route¹ Mileage by Condition and by MDOT Region									
Region	Freeway		Non-Freeway		State Total	Total			
	Good	Poor	Good	Poor		Good	%	Poor	%
Superior	5.5	51.2	1,402.0	372.7	1,831.4	1,407.5	76.9	423.9	23.1
North	175.1	39.5	1,561.8	199.7	1,976.1	1,736.9	87.9	239.2	12.1
Grand	227.9	20.0	506.4	187.0	941.3	734.3	78.0	207.0	22.0
Bay	219.6	103.9	908.9	282.6	1,515.0	1,128.5	74.5	386.5	25.5
Southwest	217.8	73.4	746.6	183.1	1,220.9	964.4	79.0	256.5	21.0
University	363.7	44.1	631.4	302.8	1,342.0	995.1	74.2	346.9	25.8
Metro	276.8	90.3	349.2	173.6	889.9	626.0	70.3	263.9	29.7
Statewide	1,486.4	422.4	6,106.3	1,701.5	9,716.6	7,592.7	78.1	2,123.9	21.9


¹ Route miles are the total miles of two-way roads and one side of the divided highways.

Source: MDOT, Bureau of Transportation Planning, Asset Management Division, (517) 335-2900

TRUNKLINE SURFACE CONDITION

The Michigan Department of Transportation's (MDOT) highest priority is the preservation and maintenance of our current transportation system. We continue to pursue a balanced program of long-term fixes (reconstruction), intermediate fixes (resurfacing) and Capital Preventive Maintenance projects. Our aggressive road repair program can be attributed to increased revenue and MDOT's ongoing streamlining efforts. Programs

like Build Michigan II and Build Michigan III, combined with the federal funding program known as TEA-21, have allowed MDOT to invest more than \$1 billion in state roads and bridges each year since 1998. Increases in "good" roads and decreases in "poor" roads can be seen in recent years, with a department goal of 90% or approximately 10,800 miles of "good" roads by the year 2007.



* Pavement or directional miles are the total miles of pavement for undivided, two-way roads, and directional mileage for divided and one-way highways (i.e. one mile of divided interstate represents two pavement miles).

Source: MDOT, Bureau of Transportation Planning, Asset Management Division, (517) 335-2608

TRUNKLINE SURFACE CONDITION BY FUNDING CATEGORY

Michigan's trunkline can be divided into three funding categories. Those categories as defined by the Transportation Equity Act for the 21st Century (TEA 21) of 1998 are the National Highway System (NHS), the Surface Transportation Program (STP), and a small non-federal aid category.

The NHS is composed of all interstate highways and other freeways, many principal arterials, and a few minor arterial and collector routes which are intermodal connectors.

The STP includes all roads eligible for

federal aid in addition to the NHS roads. All roads functionally classified above urban local or rural minor collector are part of this program. This includes rural major collectors and minor arterials, urban collectors and minor arterials, as well as any principal arterials not included in the NHS.

The NHS is actually a subset of the STP program, but those miles are separated out for this summary.

The Non FA category is for those roads which are not federal-aid eligible.*

Category		Good	Poor	Total
NHS	Flexible	1,227.108	178.675	1,405.783
	Composite	2,303.831	599.040	2,902.871
	Rigid	<u>1,554.405</u>	<u>797.642</u>	<u>2,352.047</u>
	Total	5,085.344	1,575.357	6,660.701
STP	Flexible	2,873.184	348.863	3,222.047
	Composite	1,252.788	550.489	1,803.277
	Rigid	<u>152.909</u>	<u>178.984</u>	<u>331.893</u>
	Total	4,278.881	1,078.336	5,357.217
Non FA	Flexible	11.688	2.486	14.174
	Composite	0.306	0.240	0.546
	Rigid	<u>0.000</u>	<u>0.000</u>	<u>0.000</u>
	Total	11.994	2.726	14.720
Total	Flexible	4,111.980	530.024	4,642.004
	Composite	3,556.925	1,149.769	4,706.694
	Rigid	<u>1,707.314</u>	<u>976.626</u>	<u>2,683.940</u>
	Total	9,376.219	2,656.419	12,032.638

Surface condition was measured by directional/pavement miles. This means both directions of a divided highway have separate condition ratings and are both included in this table.

* Rural minor collectors have limited eligibility for federal aid (STP). There are no trunkline rural minor collectors.

Source: MDOT, Bureau of Transportation Planning, Asset Management Division, (517) 335-2900

BRIDGE CONDITION

There are 10,754 roadway bridges in Michigan. Of these, 4,411 are on the state highway system and 6,343 are on county roads or city streets.

The Michigan Department of Transportation (MDOT) inspects all its bridges at least every two years. Those that are deficient are inspected annually and those that are seriously deficient are inspected every six months. Local bridges are inspected by the agencies responsible for them at least every two years.

A *structurally deficient* bridge is one in which at least one of the major structural elements (deck, superstructure, or substructure) has a condition rating of poor or worse. Structurally deficient bridges that are open to traffic are still safe for vehicles within the allowable weight limits.

By using the strategies developed in MDOT's "Five-Year Road & Bridge Program", the percentage of bridges rated structurally deficient is expected to be reduced to 10 percent by 2007.

Bridge Condition	State Highway Systems		Local Systems	
Structurally Deficient	894	20.3%	1,229	19.4%
All Other Roadway Bridges	3,517	79.7%	5,114	80.6%
Total Roadway Bridges	4,411	100.0%	6,343	100.0%

Source: MDOT, Bureau of Highways, Construction and Technology, (517) 322-1398

TRAFFIC CRASH TRENDS

The number of Michigan traffic fatalities in 2001 fell nearly four percent from 2000 and crashes fell six percent. While minor fluctuations in the trend are common, the long-term trend remains favorable.

Crashes continue to be increasingly more survivable. In 2001, there were 3.3 fatalities and 280 injured persons per 1,000 crashes.

Seventeen years earlier, in 1983, the rates were 4.4 fatalities and 452 injured persons for every 1,000 crashes.

The continuing improvement in the fatality and injury statistics reflect improvements in vehicles, highways, strengthened safety laws and stronger law enforcement.

Year	Fatalities	Injuries	Crashes	Fatality Rate*
1950	1,605	45,734	161,750	7.5
1955	2,016	62,234	196,812	7.1
1960	1,604	91,026	209,724	5.0
1965	2,136	155,258	310,598	5.2
1970	2,177	161,719	313,715	4.0
1975	1,811	147,299	333,560	3.1
1980	1,774	144,972	314,594	2.9
1984	1,556	150,740	335,193	2.4
1985	1,569	157,417	386,904	2.3
1986	1,632	158,032	400,694	2.3
1987	1,632	156,318	397,224	2.2
1988	1,704	155,713	410,437	2.2
1989	1,630	154,537	417,252	2.0
1990	1,563	145,179	387,180	1.9
1991	1,425	135,830	364,847	1.7
1992	1,300	118,727	344,942	1.5
1993	1,414	134,548	363,636	1.6
1994	1,419	142,200	398,050	1.7
1995	1,537	146,303	421,073	1.8
1996	1,505	142,553	435,477	1.7
1997	1,446	137,546	425,793	1.6
1998	1,367	131,575	403,766	1.5
1999	1,386	124,601	415,675	1.5
2000	1,382	121,995	425,469	1.5
2001	1,328	112,292	400,813	1.4


*Fatalities per 100 million miles of travel

Source: Michigan Department of State Police, reported by the Office of Highway Safety Planning, (517) 335-2993

TRAFFIC FATALITY RATE

The traffic fatality rate has declined approximately 49 percent from 2.9 fatalities per 100 million vehicle miles

of travel in 1980 to approximately 1.4 fatalities per 100 million vehicle miles in 2001.



Source: Michigan Department of State Police, reported by the Office of Highway Safety Planning, (517) 335-2993

TRUCK-RELATED CRASHES AND FATALITIES

Crash statistics for the years 1980 through 1991 were compiled by the Michigan Department of Transportation under a crash data system that reported crashes involving at least one vehicle rated more than 10,000

pounds. Statistics for the years 1992 through 2001 were compiled using a revised crash data system which includes some vehicles rated under 10,000 pounds.


Year	Truck Crashes	Fatal Truck Crashes	Truck Fatalities
1980	13,521	130	149
1981	13,394	129	141
1982	12,928	104	121
1983	13,696	123	154
1984	16,497	132	150
1985	21,307	155	182
1986	23,411	152	175
1987	21,427	148	170
1988	21,233	173	190
1989	20,932	161	185
1990	17,662	136	155
1991	14,990	129	142
1992	17,864	125	141
1993	22,082	132	152
1994	26,441	205	235
1995	27,467	195	220
1996	27,701	164	190
1997	28,579	156	192
1998	28,576	177	200
1999	31,915	157	178
2000	34,361	180	200
2001	31,355	138	151

Source: MDOT, Bureau of Highways, Traffic and Safety Division, (517) 335-2980

TORT LIABILITY: OPEN CASE LOAD

Open liability lawsuit cases against the Michigan Department of Transportation are at an all-time low, having significantly

declined from the peak in 1987. The increase in 1996 was related to a new tort liability law effective in March of that year.




Source: MDOT, Bureau of Highways, Traffic & Safety Division, Risk Management Unit, (517) 373-3889

STATE PAYMENTS FOR TORT LITIGATION

Payments for tort litigation totaled \$195 million for the fiscal period 1987 through 2000. Tort payments have ranged annually from a high of \$28.5 million in Fiscal Year 1987 to an all-time low of

\$668,400 in Fiscal Year 2001. In Fiscal Year 2001, the department actually took in more money in damage claims, \$1.94 million, then it paid out in highway negligence litigation claims.



Source: MDOT, Bureau of Highways, Traffic & Safety Division, Risk Management Unit, (517) 373-3889

TRUCK WEIGHT LIMITS

Michigan has allowed commercial vehicles totaling 164,000 pounds gross vehicle weight on roads since the 1950s. Bulk commodities such as steel, gravel, fuel, grain and forest products are carried by

these commercial vehicles. They are a significant part of the truck population moving into, and around, the state and are an essential part of Michigan commerce.

	Federal	Michigan	
	National Network Standards	Special Designated Routes	Seasonal and All Season Routes
Trailer Width	102 in.	102 in.	96 in.
Trailer Length	48.0 ft.	53.0 ft.	50.0 ft.
Twin Trailer Length/Unit	28.0 ft.	28.5 ft.	28.5 ft.
Combination Length	None	None	65.0 ft.
Weight Limits	80,000 lb.*	164,000 lb.**	164,000 lb.**

* States may exceed the Federal standards, if the limit was higher than the 80,000 lb limit prior to 1982.

** This weight is based on proper axle spacings.

Source: Michigan Department of State compiled by MDOT, Bureau of Transportation Planning, Travel Demand & Intermodal Services Section, (517) 335-2917

ALL SEASON ROUTE MILEAGE VS. SEASONAL ROUTE MILEAGE

Michigan's highway system is classified for truck transport purposes into two categories, All Season Routes and Seasonal Routes. These are identified on the Michigan Department of Transportation's (MDOT) Truck Operators' Map. Each category of truck routes is further divided

into several other categories based on Michigan highway laws governing vehicle size, weight and load. Seasonal routes are subject to load limitations during the spring months. Exact dates vary year-to-year and are determined by MDOT.

Route Type	Route Miles
All Season Routes	
National Truck Network	5,658
Special Designated Routes	3,113
Other All Season*	263
Seasonal Routes	481
Other**	201
Total	9,716

* This total represents all season routes that are not special designated truck routes and are also not part of the National Truck Network.


** This total includes 195 miles of unsigned trunkline which are not classified on the Truck Operator's Map yet are under MDOT's jurisdiction. It also contains several small segments such as M-185 on Mackinac Island that have no truck designation.

Source: MDOT, Bureau of Transportation Planning, 2001 Sufficiency File and the Truck Operators' Map, (517) 335-2608

REHABILITATION OF STATE HIGHWAYS

Rehabilitation of state highways has occurred at an average of 1152 miles per year since 1992. The increased miles improved between 1993 and 1996 is attributed to bond revenues which allowed

rehabilitation of more state highways. An increased emphasis on preserving the state highway system and a four-cent fuel tax increase in 1996 led to the increased number of miles improved after 1996.



Source: MDOT, Bureau of Transportation Planning, Statewide System Management Section, (517) 373-9626